


📄 The Capsule 📄

April 2021



Backordered Meds

- Generic Geodon
- Unasyn 1.5gm
- Zyvox IV 600mg

New Generics

- Asenapine Maleate SubL. Tab (brand name: Saphris)
- Lubiprostone Capsules (brand name: Amitiza)
- Brinzolamide Opth. Susp. (brand name: Azopt Opth.)

Janssen COVID-19 Vaccine (Johnson & Johnson)

Viral vector vaccines use a different virus (Adenovirus) as a vector, which delivers important instructions (in the form of a gene) to our cells. For COVID-19 vaccines, a modified virus delivers a gene that instructs our cells to make a SARS-CoV-2 antigen called the spike protein. This antigen triggers production of antibodies and a resulting immune response.

It is not an “inferior” vaccine compared to mRNA vaccines (Pfizer-BioNTech and Moderna):

- The J&J vaccine prevented ALL severe cases of COVID-19, including COVID-19 related deaths, like mRNA vaccines. This highlights the protection all authorized vaccines prevents severe cases that require hospitalizations or leads to death.

Side effects from J&J Vaccine: Headache (38%), fatigue (38%), muscle aches (33%), nausea (14%), and fever (9%). It is slightly lower than mRNA vaccines. No reports of anaphylaxis.

*The dose is only one shot (compared to 2 with the mRNA vaccines).

Per CDC:

- COVID-19 vaccines can be given safely to people with prior SARS-CoV-2 infection. Defer vaccination until person has recovered from the acute illness and criteria have been met for them to discontinue isolation. While vaccine supply remains limited, persons may choose to temporarily delay vaccination due to low risk of reinfection in the months after initial infection
- Defer vaccination for at least 90 days if received monoclonal antibodies or convalescent plasma for COVID19 treatment.

People are considered fully vaccinated:

- 2 weeks after their second dose in a 2-dose series, such as the Pfizer or Moderna vaccines
- 2 weeks after a single-dose vaccine, such as Johnson & Johnson's Janssen vaccine

If you have been fully vaccinated:

- You can gather indoors with fully vaccinated people without wearing a mask.
- You can gather indoors with unvaccinated people from one other household (for example, visiting with relatives who all live together) without masks, unless any of those people or anyone they live with has an increased risk for severe illness from COVID-

COVID-19 Vaccines			
	Pfizer/BioNTech BNT 162B2	Moderna mRNA-1273	Janssen (J&J) JNJ-78436735
Type of Vaccines	mRNA	mRNA	Viral Vector
Dosage	Multidose Vial: 6 doses/vial 0.3ml Dosage *must be mixed with diluent	Multidose Vial: 10 doses/vial 0.5ml Dosage	Multidose Vial: 5 doses/vial 0.5ml Dosage
Schedule	2 Doses 21 Days Apart	2 Doses 28 Days Apart	1 Dose
Storage	Ultracold -112°F and -76°F.	Frozen -13°F and 5°F	Refrigerated Temps 36°F and 46°F
Shelf-life once thawed	5 Days	30 Days	180 Days
Age Indication	16+	18+	18+

Resources: <https://www.fda.gov/media/146219/download>, <https://www.cdc.gov/vaccines/covid-19/index.html>, <https://www.fda.gov/media/146217/download>